

Clinical Policy: Velmanase Alfa-tycv (Lamzede)

Reference Number: CP.PHAR.601

Effective Date: 02.16.23

Last Review Date: 05.26

Line of Business: Commercial, HIM/ICHRA, Medicaid

[Coding Implications](#)[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Velmanase alfa-tycv (Lamzede[®]) is a recombinant human alpha-mannosidase replacement therapy.

FDA Approved Indication(s)

Lamzede is indicated for the treatment of non-central nervous system manifestations of alpha-mannosidosis (AM) in adult and pediatric patients.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Lamzede is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria**A. Alpha-Mannosidosis (must meet all):**

1. Diagnosis of AM confirmed by one of the following (a or b):
 - a. Reduced AM activity defined as < 10% of normal activity in leukocytes or fibroblasts cells;
 - b. Genetic testing revealing biallelic *MAN2B1* gene mutation;
2. Prescribed by or in consultation with an endocrinologist, neurologist, ophthalmologist, clinical geneticist, or specialist familiar with the treatment of lysosomal storage disorders;
3. Member does not have central nervous system manifestations of AM such as mental retardation, speech delay, sensorineural hearing loss, dysostosis multiplex, genu valgum (knock knees), hypotonia, motor and coordinator disturbances, ataxia, ocular manifestations with strabismus and acute psychotic manifestations, occipital white matter signal aberrations, or delayed myelination as well as hydrocephalus;
4. Member is able to ambulate independently;
5. Member has not previously received a bone marrow transplant or hematopoietic stem cell transplantation;
6. Documentation of current actual body weight in kg;
7. Dose does not exceed 1 mg/kg (actual body weight) per week.

Approval duration:**Medicaid/HIM/ICHRA** – 12 months**Commercial** – 6 months or to the member's renewal date, whichever is longer

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace/ICHRA, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace/ICHRA, and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Alpha-Mannosidosis (must meet all):

1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Member is responding positively to therapy as evidenced by stabilization or improvement in, but not limited to, any of the following parameters:
 - a. Serum oligosaccharides levels;
 - b. 3-minute stair climb test;
 - c. 6-minute walk test;
 - d. Bruininks-Oseretsky test of motor proficiency;
 - e. Forced vital capacity;
 - f. Coarse facial features;
 - g. Frequent infections due to immune deficiency;
 - h. Skeletal abnormalities;
3. Documentation of current actual body weight in kg;
4. If request is for a dose increase, new dose does not exceed 1 mg/kg (actual body weight) per week.

Approval duration:

Medicaid/HIM/ICHRA – 12 months

Commercial – 6 months or to the member's renewal date, whichever is longer

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace/ICHRA, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace/ICHRA, and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid, or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

AM: alpha-mannosidosis

FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): none reported
- Boxed warning(s): severe hypersensitivity reactions including anaphylaxis

Appendix D: General Information

Individual patient manifestations of AM may include non-central nervous system manifestations such coarse facial features, frequent infections due to immune deficiency, and skeletal abnormalities. Central nervous system manifestations may include mental retardation, speech delay, sensorineural hearing loss, dysostosis multiplex, genu valgum (knock knees), hypotonia, motor and coordinator disturbances, ataxia, ocular manifestations with strabismus and acute psychotic manifestations, occipital white matter signal aberrations, and delayed myelination as well as hydrocephalus.

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
AM	1 mg/kg (actual body weight) IV once every week	1 mg/kg/week

VI. Product Availability

Single-use vial: 10 mg as a lyophilized powder for reconstitution

VII. References

1. Lamzede Prescribing Information. Cary, NC: Chiesi USA, Inc. February 2023. Available at: <https://www.lamzede.com>. Accessed January 16, 2026.
2. Malm D, Nilssen O. Alpha-mannosidosis. National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK1396/>. Accessed April 5, 2023.
3. Borgwardt L, Guffon N, Amraoui Y, et al. Efficacy and safety of velmanase alfa in the treatment of patients with alpha-mannosidosis: results from the core and extension phase analysis of a phase III multicentre, double-blind, randomized, placebo-controlled trial. *H Inherit Metab Dis*. 2018;41(6):1215-1223. <https://doi.org/10.1007/s10545-018-0185-0>.
4. Lund AM, Borgwardt L, Cattaneo F, et al. Comprehensive long-term efficacy, and safety of recombinant human alpha-mannosidase (velmanase alfa) treatment in patients with alpha-mannosidosis. *J Inherit Metab Dis*. 2018;41(6):1225-1233. <https://doi.org/10.1007/s10545-018-0175-2>.
5. Harmatz P, Cattaneo F, Ardigo D, et al. Enzyme replacement therapy with velmanase alfa (human recombinant alpha-mannosidase): Novel global treatment response model and outcomes in patients with alpha-mannosidosis. *Molecular Genetics and Metabolism*. 2018; 124(2):152-160. <https://doi.org/10.1016/j.ymgme>.
6. Guffon N, Tylki-Szymanska A, Borgwardt L, et al. Recognition of alpha-mannosidosis in paediatric and adult patients: presentation of a diagnostic algorithm from an international working group. *Molecular Genetics and Metabolism*. 2019;126:470-4. <https://doi.org/10.1016/j.ymgme>.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J0217	Injection, velmanase alfa-tycv, 1 mg

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created pre-emptively. Template changes applied to other diagnoses/indications.	10.11.22	11.22
RT1: drug is now FDA approved - policy updated per FDA labeling; added the member is able to ambulate independently, has not previously received HSCT or bone marrow transplant, added	04.11.23	05.23

Reviews, Revisions, and Approvals	Date	P&T Approval Date
additional specialties that may be familiar with the treatment of lysosomal storage disorders; references reviewed and updated.		
2Q 2024 annual review: no significant changes; added updated HCPCS code; references reviewed and updated.	01.12.24	05.24
2Q 2025 annual review: no significant changes; references reviewed and updated.	03.11.25	05.25
2Q 2026 annual review: no significant changes; updated initial and continued approval durations from 6 months to 12 months for Medicaid/HIM and added the standard auth duration language for Commercial; for Initial Approval added examples of CNS manifestations of AM that were already outlined in Appendix D and previously referred to within the criteria; for Continued Therapy added examples of positive treatment response that were already outlined in Appendix D and previously referred to within the criteria; references reviewed and updated. Added ICHRA line of business.	04.13.26	05.26

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan

retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2022 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.